



WOOD FLOORING

bring nature inside



NATURAL FLOOR CARE



Wood's Good® Natural Floor Care makes cleaning and maintaining wood floors simple.

Wood's Good Natural Floor Care is available as an easy application spray which tackles everyday dirt and grime whilst protecting surfaces including oiled, waxed and lacquered wood floors.


Wood's Good Natural Care Refresher can be used neat or diluted to add a protective film to wooden floors.



Natural Floor Care



FLOOR CARE ADVICE



All V4 Wood Flooring has a domestic guarantee of 35 years and if properly cared for your floor will last for generations. The following tips will help you get the most from your wooden floors.

1. AMBIENT CONDITIONS

During the life of the floor ambient humidity must be maintained within the range of 45% to 65% RH and 18 to 24°C. This includes during periods when the property is unoccupied such as during holidays. Please note that high humidity may lead to warping and other issues, whilst excessive drying caused by high temperature &/or low humidity may lead to splits and warping. Avoid rapid changes in temperature

2. ENTRANCE MATS

Always have internal and external entrance matting at all entrances to the property; this will help prevent abrasive particles being carried onto the floor, and will extend the life of the floor finish

3. PROTECT FROM FURNITURE

Use self-adhesive felt pads on flat furniture feet to protect the floor from excessive scratching, and use felt based castor cups under wheeled furniture. A purpose made polypropylene floor mat must be used below wheeled office chairs. (Note: Heavy scratching will break the seal of the lacquer causing damage to the timber by ingress of dirt and moisture from cleaning.

4. FOOT TRAFFIC

Stiletto heels may damage wood floor finish and cause compression marks on some wood species, and are not recommended for use on wood floor. Avoid heavy work boots with abrasive soles and thick treads which can retain abrasive objects such as gravel stones. In areas of high foot traffic pay special attention to daily cleaning and where possible use protective rugs and matting.

5. PET CARE

Keep pet's claws well trimmed to avoid scratches and protect areas where they sleep and feed to avoid damage from moisture and spills.

6. SUNSHINE

Wood is a natural material and is affected by UV light. As with the blackened oak beams of ancient houses all wood will mellow and change colour with sunlight. Oak will mellow and become a richer in tone whilst grey brown of American Black Walnut will turn a more golden hue. Each species will react in different ways to UV light. In rooms with large windows especially those which are south facing, special care should be taken to reposition furniture and rugs to ensure an even colour across the floor. Floors treated with stains and lyes are more stable in strong UV conditions.

7. CLEAN UP SPILLS

Avoid standing water or liquid. Mop up any liquid spills quickly and never allow spills to stay on the surface for any length of time. If moisture ingresses into the surface of your floor it may cause lasting damage.

8. REGULAR CLEANING

Daily/weekly cleaning consists of sweeping with a soft broom or dust attracting flat head mop.

Floors can be periodically cleaned with an almost dry wrung out mop, avoiding use of excess moisture.

NEVER WET MOP WOODEN FLOORS. All spills must be wiped up immediately with an absorbent kitchen towel.

CLEANING & CARE

WOOD'S GOOD® NATURAL FLOOR CARE

Designed for oiled and lacquered wood floors, Wood's Good Natural Floor Care works on all sealed floor surfaces. Cleaning thoroughly whilst adding a nourishing coat of plant wax, Natural Floor Care is the best way to keep your V4 Wood Flooring looking like new.



NATURAL FLOOR CARE REFRESHER

Adds protection to oiled, waxed and lacquered wooden surfaces, ideal for floors and furniture. With nurturing waxes, including sustainably sourced Brazilian Carnauba palm wax, it revives and refreshes dull and scratched surfaces and is perfect for areas that require extra resistance to water and spillages. Suitable for lacquered wood, laminate, vinyl, linoleum, cork, natural stone, unglazed tiles and polished concrete. **1lt: Undiluted Coverage: 50 m²/lt**

Instructions:

(Tools: Wood's Good® Applicator Mop Pad or lint free mop/cloth)

1. Vacuum clean to remove loose dirt.
2. Freshly sealed surfaces should be fully dry.
3. Shake thoroughly before and during use.
4. Working in sections apply undiluted Refresher with the grain working wet on wet, avoiding areas that have already dried.
5. Wipe onto the surface following the grain.
6. When finished allow to dry for 30 - 60 mins.
7. Protect surface from water for 24 hrs.
8. After care: Re-apply undiluted Refresher



NATURAL FLOOR CARE

Designed to clean and protect oiled, waxed and lacquered wooden floors. The soap solution works to clean the surface removing ground in dirt, while nurturing waxes (including responsibly sourced Brazilian Palm Wax) coat the surface with a water resistant protective film which also works perfectly on many other surfaces including laminate, vinyl, linoleum, cork, natural stone, unglazed tiles and polished concrete. **750ml: Coverage: 75- 150 m²**

Instructions:

1. Vacuum clean to remove loose dirt.
2. Floor must be dry.
3. Shake the spray well before & during use.
4. Working in sections spray the surface.
5. Wipe the surface with the grain using a Wood's Good® Applicator Mop Pad or lint free cloth/ mop.
6. When finished allow to dry for 30 - 60 mins.
7. Rinse applicator pad with clean water.



NATURAL FLOOR CARE CLEANING KIT

Everything you need to clean and protect your oiled and lacquered wood floors and more. The kit includes a 750ml Natural Floor Care spray which is applied using the Wood's Good washable lint free applicator pad with collapsible handle for space saving storage.



WOOD'S GOOD MOP PAD

The Wood's Good lint free washable mop pad can be washed over 100 times. Designed to glide over your wood floors without applying too much moisture. The synthetic wool surface is non-abrasive so will not damage natural oiled surfaces.